=> IFW: Scan as Doc Code: SRNT <= Doc Date:

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10723304

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

## . \* P

## PALM INTRANET

Day: Monday Date: 5/1/2006 Time: 11:27:50

## **Inventor Information for 10/723304**

| Inventor Name                     | City                | State/Country_            |
|-----------------------------------|---------------------|---------------------------|
| NEUBAUER, ANDREW E.               | MENASHA             | WISCONSIN                 |
| WOLF, STEVEN P.                   | SHERWOOD            | WISCONSIN                 |
| Appln Info Contents Petition Info | Atty/Agent Info Con | tinuity Data Foreign Data |
| Search Another: Application#      | Search or Paten     | t# Search                 |
| PCT //                            | earch or PG PUB     | S # Search                |
| Attorney Docket #                 | Sea                 | arch                      |
| Bar Code #                        | Search              |                           |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US<br>20060048301       | 20060309 | Fire-resistant mattress having  | 5/698   | 5/716   | Klancnik;<br>Alvin R. et     |
|-------------------------|----------|---|---------|---------|------------------------------|
| A1                      |          | combustible<br>material   |         |         | al.                          |
|                         |          | compartmentalized between fire-   |         |         |                              |
|                         |          | resistant layers  |         |         | <u> </u>                     |
| US<br>20060017615<br>A1 | 20060126 | Receiver in a position-finding system and method for position-finding with increased sensitivity                      | 342/451 |         | Schmid;<br>Andreas et<br>al. |
| US<br>20060012523<br>A1 | 20060119 | Reliability and the accuracy of position-finding methods by estimation of the rice factor of a radio link             | 342/451 | 342/453 | Schmid;<br>Andreas et<br>al. |
| US<br>20060012522<br>A1 | 20060119 | Receiver for a position-finding system with improved sensitivity  | 342/387 | 342/464 | Schmid;<br>Andreas et<br>al. |
| US<br>20060008033<br>A1 | 20060112 | Demodulation of a frequency-modulated received signal by mapping the zero crossings to a sequence of parameter values | 375/341 |         | Niederholz;<br>Jurgen et al. |
| US<br>20060002490<br>A1 | 20060105 | Receiver for a wire-free communication system   | 375/316 |         | Neubauer;<br>Andre et al.    |
| US<br>20050190860<br>A1 | 20050901 | Demodulation of a frequency-modulated received signal by means of a Viterbi algorithm                                 | 375/316 |         | Neubauer,<br>Andre et al.    |
| US<br>20050117678       | 20050602 | Method for resynchronization  | 375/354 |         | Hammes,<br>Markus et         |

| A1          |          | of a mobile radio receiver in the |          |          | al.           |
|-------------|----------|-----------------------------------|----------|----------|---------------|
|             |          | event of a change                 |          |          |               |
|             |          | over between two                  |          | 1        |               |
|             |          | different                         |          |          |               |
|             |          | modulation                        |          |          |               |
|             |          | methods                           |          |          |               |
| US          | 20050526 | Zoned absorbent                   | 604/387  |          | Neubauer,     |
| 20050113791 |          | structures and                    |          |          | Andrew E.     |
| Al          |          | process for                       |          |          | et al.        |
|             |          | producing same                    |          |          |               |
| US          | 20050526 | Quick change                      | 156/62.2 | 156/204; | Neubauer,     |
| 20050109442 |          | gender specific                   |          | 492/28   | Andrew E.     |
| Al          |          | forming surface                   |          |          | et al.        |
|             |          | and method of                     |          |          |               |
|             |          | using same                        |          |          |               |
| US          | 20050505 | Method and .                      | 83/13    |          | Carbone,      |
| 20050092146 |          | apparatus for                     |          |          | Henry Louis   |
| Al          |          | removing material                 |          |          | II et al.     |
|             |          | from a moving                     |          |          | İ             |
|             |          | substrate                         |          |          |               |
| US          | 20050324 | Method for                        | 327/379  |          | Boetzel,      |
| 20050062516 |          | preventing                        |          |          | Ulrich et al. |
| A1          |          | transients during                 |          |          |               |
|             |          | switching                         |          |          |               |
| !           |          | processes in                      |          |          |               |
|             |          | integrated                        |          |          |               |
|             |          | switching circuits,               |          |          |               |
|             |          | and an integrated                 | İ        |          |               |
|             |          | switching circuit                 |          |          |               |
| US          | 20050317 | Demodulation of a                 | 375/323  | 375/341  | Niederholz,   |
| 20050058226 |          | frequency                         |          |          | Jurgen et al. |
| A1          |          | modulated                         |          |          |               |
|             |          | received signal by                |          |          |               |
|             |          | means of two-                     |          |          |               |
|             |          | stage path                        |          |          |               |
|             |          | selection in a                    |          |          |               |
|             |          | trellis diagram                   |          |          |               |
| US          | 20050317 | Demodulation of a                 | 375/316  |          | Bruckmann,    |
| 20050058225 |          | digitally                         |          |          | Dieter et al. |
| A1          |          | frequency-                        |          |          |               |
|             |          | modulated analog                  |          |          |               |
|             |          | received signal by                |          |          |               |
| •           |          | evaluation of the                 |          |          |               |
|             |          | time intervals                    |          |          |               |
|             | 1        | between the zero                  | 1        |          |               |

| 110                     | 20040020 | crossings  | 455/450 |                     | Botzel,                     |
|-------------------------|----------|--|---------|---------------------|-----------------------------|
| JS<br>0040192316<br>A1  | 20040930 | Frequency scheme for data transmission   | 433/43U |                     | Ulrich et al.               |
|                         |          | systems  |         |                     |                             |
| US<br>20040114564<br>A1 | 20040617 | Data transmission system having a high data transmission rate and method of transmitting the data                | 370/347 | 370/349             | Gersemsky,<br>Frank et al.  |
| IS<br>0040105405<br>11  | 20040603 | Data transmission<br>system, frame<br>structure, and<br>method for radio<br>transmission of<br>data              | 370/321 |                     | Botzel,<br>Ulrich et al.    |
| JS<br>20040029599<br>A1 | 20040212 | Signal reception<br>and processing<br>method for<br>cordless<br>communications<br>systems                        | 455/466 |                     | Mehrgardt,<br>Sonke et al.  |
| US<br>20030215028<br>A1 | 20031120 | Receiver circuit<br>and method of<br>processing a<br>received signal   | 375/316 |                     | Hammes,<br>Markus et<br>al. |
| US<br>20030157910<br>A1 | 20030821 | Receiver circuit<br>for mobile radio<br>receivers with<br>automatic gain<br>control                              | 455/130 | 455/134;<br>455/341 | Bruckmann,<br>Dieter et al. |
| US<br>20030128778<br>A1 | 20030710 | Demodulator and method for demodulating CPFSK-modulated signals using a linear approximation of the CPFSK signal | 375/334 |                     | Hammes,<br>Markus et<br>al. |
| US<br>20030108121<br>A1 | 20030612 | Method for estimating the frequency shift of a cpfsk signal  | 375/305 |                     | Neubauer,<br>Andre?apos     |
| US                      | 20021219 | Circuit  | 375/350 | 708/320             | Neubauer,                   |

| 20020191720<br>A1       |          | configuration for the offset  |         |                                 | Andre                           |
|-------------------------|----------|---|---------|---------------------------------|---------------------------------|
|                         |          | compensation of a signal  |         |                                 |                                 |
| US<br>20020190678<br>A1 | 20021219 | Control and motorization system   | 318/434 |                                 | Huber, Daniel A. et             |
| US<br>20020176517<br>A1 | 20021128 | Receiving device<br>for angle-<br>modulated signals   | 375/316 | 375/334                         | Neubauer,<br>Andre et al.       |
| US<br>20020154679<br>A1 | 20021024 | Use of a transceiver configured for frequency modulation for signals that are coded by a method for spreading spectrums | 375/132 | 375/140;<br>375/308             | Kranz,<br>Christian et<br>al.   |
| US<br>20020111148<br>A1 | 20020815 | Communications system and corresponding receiver unit   | 455/136 | 455/139                         | Neubauer,<br>Andre              |
| US<br>20020098891<br>A1 | 20020725 | Computerized system and method for providing advertising to a consumer  | 463/42  |                                 | Graham,<br>Michael B.<br>et al. |
| US<br>20020060604<br>A1 | 20020523 | Demodulation<br>method and<br>demodulator for<br>CPFSK-modulated<br>signals   | 329/300 |                                 | Hammes,<br>Markus et<br>al.     |
| US 7016683<br>B2        | 20060321 | Frequency scheme for data transmission systems  | 455/450 | 370/330;<br>370/509;<br>455/502 | Botzel;<br>Ulrich et al.        |
| US 7010063<br>B2        | 20060307 | Receiver circuit<br>and method of<br>processing a<br>received signal  | 375/334 | 375/350;<br>375/355             | Hammes;<br>Markus et<br>al.     |
| US 6993097<br>B2        | 20060131 | Demodulation<br>method and<br>demodulator for<br>CPFSK-modulated  | 375/334 | 329/300;<br>375/272;<br>375/341 | Hammes;<br>Markus et<br>al.     |

|                               |          | signals  |         |  |                              |
|-------------------------------|----------|--|---------|--|------------------------------|
| US 6944220<br>B2              | 20050913 | Circuit configuration for the offset compensation of a signal  | 375/232 | 375/240.02;<br>375/350;<br>708/300;<br>708/322   | Neubau<br>Andre              |
| US 6785348<br>B2              | 20040831 | Demodulator and method for demodulating CPFSK-modulated signals using a linear approximation of the CPFSK signal | 375/334 | 375/341  | Hamme<br>Markus<br>al.       |
| US 6728321<br>B2              | 20040427 | Receiving device<br>for angle-<br>modulated signals  | 375/322 | 455/179.1  | Neubau<br>Andre e            |
| US 6680594<br>B2              | 20040120 | Control and motorization system  | 318/280 | 160/310;<br>160/84.02;<br>318/434;<br>318/469  | Collett;<br>Robert<br>et al. |
| US 6655056<br>B1              | 20031202 | Trading card display and storage device  | 40/124  | 211/128.1;<br>211/55   | Wolf; S<br>et al.            |
| US 6549588<br>B2              | 20030415 | Communications system and corresponding receiver unit  | 375/332 | 329/304;<br>375/279;<br>375/280;<br>375/329;<br>455/116;<br>455/313;<br>455/316;<br>455/318;<br>455/71 | Neubau<br>Andre              |
| US D466046<br>S<br>US D463316 | 20021126 | Jewelry arrangement Jewelry  | D11/90  |  | Wolf;<br>Steven<br>Wolf;     |
| S<br>US D462289<br>S          | 20020903 | arrangement Jewelry arrangement  | D11/90  |  | Steven<br>Wolf;<br>Steven    |
| US D459675<br>S               | 20020702 | Jewelry arrangement  | D11/90  |  | Wolf;<br>Steven              |
| US D450617<br>S<br>US D446153 | 20011120 | Jewelry arrangement Composite jewelry  | D11/90  |  | Wolf;<br>Steven<br>Wolf;     |
| S D446133                     | 20010007 | stone  | 1211/70 |  | Steven                       |

| US D440902  | 20010424                                | Jewelry                          | D11/90  |                     | Wolf;        |
|-------------|---|----------------------------------|---------|---------------------|--------------|
| S D440702   | 20010424                                | arrangement                      |         |                     | Steven J.    |
| US D440181  | 20010410                                | Jewelry                          | D11/90  |                     | Wolf;        |
| S D440181   | 20010410                                | arrangement                      | D11/70  |                     | Steven J.    |
| US D439195  | 20010320                                | Jewelry                          | D11/90  |                     | Wolf;        |
| · ·         | 20010320                                | i -                              | D11/90  |                     | Steven J.    |
| S           | 00010200                                | arrangement                      | D11/26  | D11/36              | Wolf;        |
| US D439191  | 20010320                                | Ring                             | D11/26  | 1 1/30              | Steven J.    |
| S           | 20010206                                |                                  | D11/00  |                     |              |
| US D437251  | 20010206                                | Jewelry                          | D11/90  |                     | Wolf;        |
| S           |   | arrangement                      | 100115  | 60 100              | Steven J.    |
| US 6171666  | 20010109                                | Composite jewelry                | 428/15  | 63/28               | Wolf;        |
| B1          |   | stone                            |         |                     | Steven J.    |
| US D431011  | 20000919                                | Gemstone                         | D11/90  |                     | Wolf;        |
| S           |   |                                  |         |                     | Steven J.    |
| US D423396  | 20000425                                | Gemstone                         | D11/90  |                     | Wolf;        |
| S           |   |                                  |         |                     | Steven J.    |
| US D421930  | 20000328                                | Jewelry                          | D11/90  |                     | Wolf;        |
| S           |   | arrangement                      |         |                     | Steven J.    |
| US D419480  | 20000125                                | Jewelry                          | D11/90  |                     | Wolf;        |
| S           |   | arrangement                      |         |                     | Steven J.    |
| US 6007907  | 19991228                                | Composite jewelry                | 428/323 | 428/15;             | Wolf;        |
| A           | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | stone                            |         | 63/28;              | Steven J.    |
| 1.          |   |                                  |         | 63/29.1;            |              |
|             |   |                                  |         | 63/32               |              |
| US D415062  | 19991012                                | Jewelry                          | D11/90  |                     | Wolf;        |
| S           |   | arrangement                      |         |                     | Steven J.    |
| US D402226  | 19981208                                | Jewelry stone                    | D11/90  |                     | Wolf;        |
| S           | 17701200                                | l some                           |         |                     | Steven J.    |
| US 5009677  | 19910423                                | Process for                      | 95/76   | 95/78;              | Wolf;        |
| A           | 17710423                                | separating                       | ) 50,70 | 96/33;              | Steven D. et |
| A           |   | particulates in an               |         | 96/73               | al.          |
|             |   | electrostatic                    |         | 30773               |              |
|             | ļ                                       | precipitator                     |         |                     |              |
| US 4968330  | 19901106                                | Apparatus for                    | 96/32   | 96/64               | Wolf;        |
|             | 19901100                                | separating                       | 70/32   | 70/07               | Steven D. et |
| A           |   |                                  |         | 1                   | al.          |
|             |   | particulates in an electrostatic |         |                     | <b>41.</b>   |
|             |   |                                  |         |                     |              |
| 110 2070200 | 10620100                                | precipitator                     | 222/246 | 222/181.2;          | SESSIONS     |
| US 3072299  | 19630108                                | Dispenser for                    | 2221240 | 222/181.2;          | MARC H et    |
| A           |   | powdered soap                    |         | 222/322; 222/408.5; | al.          |
|             |   | and the like                     |         |                     | a1.          |
|             |   | [TEXT                            |         | 222/409;            |              |
|             |   | AVAILABLE IN                     |         | 222/501             |              |
|             |   | USOCR                            |         |                     |              |
|             |   | DATABASE]                        |         |                     |              |